ELSEVIER

Journal of Materials Processing Technology 79 (1998) 251

Journal of
Materials
Processing
Technology

Author Index of Volume 79

Abd El-Azim, A.N., 1
Aksoy, İ., 47
Al-Fahead, A.M., 66
Astakhov, V.P., 189

Balasubramaniam, R., 52
Batzer, S.A., 72
Bay, N., 14
Besshi, T., 125
Bhaskara Reddy, S.V., 101

Calero, J.A., 214
Çelik, H., 47
Ceylan, M., 47
Chang Lin, H., 225

Darwish, S.M., 66
Das, N.S., 218

El-Baradie, Z.M., 1
El-Hofy, H.A., 155
El-Shahat, O.A., 1

Fang, N., 79

Graham, A.D., 94
Grzesik, W., 133
Guilemany, J.M., 214
Guodong, W., 109

Haan, D.M., 72
Hocheng, H., 177

Kemin, X., 185
Kezhi, L., 185
Krishnan, J., 52
Kuzucu, V., 47

Lam, D.C., 170
Lau, F., 25
Lee, W.B., 25
Liang, J.Z., 59
Lim, L.C., 30
Lin, T.-R., 41
Li, R.K., 59
Liu, B.C., 25
Lu, J., 200

Maity, K.P., 218
Martins, P.A., 14
Martín, A.J., 214
Matsui, M., 125
McGeough, J.A., 155
Midha, P.S., 94
Myllykoski, P., 9

Nanhai, H., 185
Narendran, T.T., 101
Nezu, K., 86

Oh, H.-K., 113
Olson, W.W., 72
Ona, H., 237

Petersen, S.B., 14

Qiang, Z., 109

Rahuman, I., 30
Ramakrishnan, N., 52
Rao, P.D., 72
Riviere, A.L., 200

Sadegh Amalnik, M., 155
Saluja, N., 200
Sato, T., 125
Shangwu, X., 109
Shean Lee, R., 225
Shunmugam, M.S., 101
Shvets, S.V., 189
Smith, L.N., 94
Sobolev, V.V., 214
Soliman, M.S., 66
Sutherland, J.W., 72

Tee, W.M., 30
Tjong, S.C., 59
Tsai, H.H., 177
Tseng, W.J., 243

Vilarrubias, P., 214

Wang, J.P., 144
Watari, H., 237
Wong, A.C., 163
Wong, Y.S., 30

Xianghua, L., 109
Xiong, S.M., 25

Yang, S., 86
Yan, L., 185
Yeon, K.H., 113

Zhengyi, J., 109
Zhou, Y., 200

Elsevier Science S.A.
PII S0924-0136(98)00162-9

ELSEVIER

Journal of Materials Processing Technology 79 (1998) 253–256

Journal of Materials Processing Technology

Subject Index of Volume 79

Abrasive jet machining
investigation of AJM for deburring, 52
Absorbing dewax
a new near net-shape forming process for alumina, 125
Aging
accelerated aging processes in SiC-7020 aluminium composite, 1
Aligned fibers
packing model for bimodal particle packing with aligned fibers, 170
Alumina
a new near net-shape forming process for alumina, 125
Aluminium composites
accelerated aging processes in SiC-7020 aluminium composite, 1
Angle of impingement
investigation of AJM for deburring, 52

Backward tube spinning
research on the distribution of the displacement in backward tube spinning, 185
Bending stress
a system concept in metal cutting, 189
Bimodal particle distribution
a new near net-shape forming process for alumina, 125
Bimodal particles
packing model for bimodal particle packing with aligned fibers, 170

Carbides
an investigation of stellite-6 alloy containing 5.0 wt% silicon, 47
Casting
a study of the interfacial heat transfer between an iron casting and a metallic mould, 25
CE
an intelligent knowledge-based system for wire-electro-erosion dissolution in a concurrent engineering environment, 155
Ceramic injection molding
statistical analysis of process parameters influencing dimensional control in ceramic injection molding, 243
Chip control
an improved model for oblique cutting and its application to chip-control research, 79
Chip flow
a slip-line solution to metal machining using a cutting tool with a step-type chip-breaker, 218
Chips
chip morphology and hole surface texture in the drilling of cast Aluminum alloys, 72
Coatings
the role of coatings in controlling the cutting process when turning with coated indexable inserts, 133
Cold work
accelerated aging processes in SiC-7020 aluminium composite, 1
Combinational wear
uniaxial tensile test and wear in metals, 113
Compaction of metal powders
simulation of metal powder compaction, for the development of a knowledge based powder metallurgy process advisor, 94
Computer-assisted process-planning
optimal sub-division of the depth of cut to achieve minimum production cost in multi-pass turning using a genetic algorithm, 101
Concurrent engineering
application of an inverse FE approach in the concurrent design of sheet stamping, 86
Conform™
computer modeling of the continuous forming extrusion process of AA6061 alloy, 200
Continuous forming extrusion
computer modeling of the continuous forming extrusion process of AA6061 alloy, 200
Cryogenic magnetic chuck
investigation of the transient thermal deflection and stresses of the workpiece in surface grinding with the application of a cryogenic magnetic chuck, 177
Cutting fluids
chip morphology and hole surface texture in the drilling of cast Aluminum alloys, 72
Cutting parameters
optimal sub-division of the depth of cut to achieve minimum production cost in multi-pass turning using a genetic algorithm, 101
Cutting system
a system concept in metal cutting, 189

Damping sheets
manufacturing and characteristics of brass damping sheets, 66
Deburring
investigation of AJM for deburring, 52
Deformation mechanism
process design based on the deformation mechanism for the non-isothermal forging of Ti–6Al–4V alloy, 225
Density
a new near net-shape forming process for alumina, 125
Design feature
an intelligent knowledge-based system for wire-electro-erosion dissolution in a concurrent engineering environment, 155
Design for manufacturing
application of an inverse FE approach in the concurrent design of sheet stamping, 86
Dielectric
near-mirror-finish phenomenon in EDM using powder-mixed dielectric, 30

Elsevier Science S.A.
PII S0924-0136(98)00163-0

Dimension
statistical analysis of process parameters influencing dimensional control in ceramic injection molding, 243
Drilling
chip morphology and hole surface texture in the drilling of cast Aluminum alloys, 72
Dynamic mechanical property
morphology and dynamic mechanical properties of glass beads filled low density polyethylene composites, 59

ECM
an intelligent knowledge-based system for wire-electro-erosion dissolution in a concurrent engineering environment, 155
EDM
an intelligent knowledge-based system for wire-electro-erosion dissolution in a concurrent engineering environment, 155
Elasto-plastic finite-element simulation
research on the distribution of the displacement in backward tube spinning, 185
Electrical discharge machining
near-mirror-finish phenomenon in EDM using powder-mixed dielectric, 30
Electrode force
manufacturing and characteristics of brass damping sheets, 66
Extrudate swell
factors affecting extrudate swell and melt flow rate, 163

Face-milling
reliability and failure of face-milling tools when cutting stainless steel, 41
Fatigue strength
manufacturing and characteristics of brass damping sheets, 66
FDM
investigation of the transient thermal deflection and stresses of the workpiece in surface grinding with the application of a cryogenic magnetic chuck, 177
Feed-rate
reliability and failure of face-milling tools when cutting stainless steel, 41
Filled composites
morphology and dynamic mechanical properties of glass beads filled low density polyethylene composites, 59
Finite-element analysis
application of an inverse FE approach in the concurrent design of sheet stamping, 86
Finite-element computer modeling
computer modeling of the continuous forming extrusion process of AA6061 alloy, 200
Finite elements
an alternative ring-test geometry for the evaluation of friction under low normal pressure, 14
Finite element simulation
simulation of metal powder compaction, for the development of a knowledge based powder metallurgy process advisor, 94
Finite flow-line regions
a new approach to visioplasticity in plane-strain extrusion, 144
Flexural strength
a new near net-shape forming process for alumina, 125
Friction modelling
an alternative ring-test geometry for the evaluation of friction under low normal pressure, 14

Genetic algorithm
optimal sub-division of the depth of cut to achieve minimum production cost in multi-pass turning using a genetic algorithm, 101
Glass bead
morphology and dynamic mechanical properties of glass beads filled low density polyethylene composites, 59
Grinding
investigation of the transient thermal deflection and stresses of the workpiece in surface grinding with the application of a cryogenic magnetic chuck, 177

Hardness
accelerated aging processes in SiC-7020 aluminium composite, 1
Heat-transfer coefficient
a study of the interfacial heat transfer between an iron casting and a metallic mould, 25
HVOF spraying
modelling of the in-flight behaviour of stainless steel powder particles in high velocity oxy-fuel spraying, 214

IKBS
an intelligent knowledge-based system for wire-electro-erosion dissolution in a concurrent engineering environment, 155
In-flight behaviour
modelling of the in-flight behaviour of stainless steel powder particles in high velocity oxy-fuel spraying, 214
Interface temperature
the role of coatings in controlling the cutting process when turning with coated indexable inserts, 133
Inverse heat calculation
a study of the interfacial heat transfer between an iron casting and a metallic mould, 25

Jet height
investigation of AJM for deburring, 52

Knowledge based systems
simulation of metal powder compaction, for the development of a knowledge based powder metallurgy process advisor, 94

L/*D* ratio effects
factors affecting extrudate swell and melt flow rate, 163
Local residual deformation
3-D rigid–plastic FEM analysis of the rolling of a strip with local residual deformation, 109
Longitudinal curvature
elimination of the longitudinal curvature of a product formed by a press brake, 237
Low density polyethylene
morphology and dynamic mechanical properties of glass beads filled low density polyethylene composites, 59
Low normal pressure
an alternative ring-test geometry for the evaluation of friction under low normal pressure, 14
Lüder's band
uniaxial tensile test and wear in metals, 113

Machining
chip morphology and hole surface texture in the drilling of cast Aluminum alloys, 72
Manufacturability
an intelligent knowledge-based system for wire-electro-erosion dissolution in a concurrent engineering environment, 155
Mechanical properties
a study on the causes of deviation in mechanical properties of thin steel sheets, 9
Melt flow rate
factors affecting extrudate swell and melt flow rate, 163

Metal cutting
a system concept in metal cutting, 189
Metal flow
research on the distribution of the displacement in backward tube spinning, 185
Metallic mould
a study of the interfacial heat transfer between an iron casting and a metallic mould, 25
Microhardness
manufacturing and characteristics of brass damping sheets, 66
Microstructure
an investigation of stellite-6 alloy containing 5.0 wt% silicon, 47
Microstructure examination
manufacturing and characteristics of brass damping sheets, 66
Modelling
modelling of the in-flight behaviour of stainless steel powder particles in high velocity oxy-fuel spraying, 214
Multilayer perceptron neural networks
a study on the causes of deviation in mechanical properties of thin steel sheets, 9
Multi-pass turning
optimal sub-division of the depth of cut to achieve minimum production cost in multi-pass turning using a genetic algorithm, 101
Multiple integral method
investigation of the transient thermal deflection and stresses of the workpiece in surface grinding with the application of a cryogenic magnetic chuck, 177

Near net-shape forming
a new near net-shape forming process for alumina, 125
Non-isothermal forging
process design based on the deformation mechanism for the non-isothermal forging of Ti–6Al–4V alloy, 225

Oblique cutting
an improved model for oblique cutting and its application to chip-control research, 79
Optimal sub-division
optimal sub-division of the depth of cut to achieve minimum production cost in multi-pass turning using a genetic algorithm, 101

Particle size
a new near net-shape forming process for alumina, 125
Polyethylene
factors affecting extrudate swell and melt flow rate, 163
Powder compact
packing model for bimodal particle packing with aligned fibers, 170
Precipitation kinetics
accelerated aging processes in SiC-7020 aluminium composite, 1
Press brake
elimination of the longitudinal curvature of a product formed by a press brake, 237
Process
statistical analysis of process parameters influencing dimensional control in ceramic injection molding, 243
Process design
process design based on the deformation mechanism for the non-isothermal forging of Ti–6Al–4V alloy, 225

Rib height
3-D rigid–plastic FEM analysis of the rolling of a strip with local residual deformation, 109
Rigid–plastic FEM
3-D rigid–plastic FEM analysis of the rolling of a strip with local residual deformation, 109
Ring-test
an alternative ring-test geometry for the evaluation of friction under low normal pressure, 14

Sheet metal forming
application of an inverse FE approach in the concurrent design of sheet stamping, 86
Silicon
an investigation of stellite-6 alloy containing 5.0 wt% silicon, 47
Silicon carbide particles
accelerated aging processes in SiC-7020 aluminium composite, 1
Sliding wear
uniaxial tensile test and wear in metals, 113
Slip-line solution
a slip-line solution to metal machining using a cutting tool with a step-type chip-breaker, 218
Slip-stream line field
a new approach to visioplasticity in plane-strain extrusion, 144
Specific cutting pressure
the role of coatings in controlling the cutting process when turning with coated indexable inserts, 133
Spot-welding
manufacturing and characteristics of brass damping sheets, 66
Stainless steel
reliability and failure of face-milling tools when cutting stainless steel, 41
Stainless steel powder
modelling of the in-flight behaviour of stainless steel powder particles in high velocity oxy-fuel spraying, 214
Statistics
statistical analysis of process parameters influencing dimensional control in ceramic injection molding, 243
Steels
the role of coatings in controlling the cutting process when turning with coated indexable inserts, 133
Stellite-6
an investigation of stellite-6 alloy containing 5.0 wt% silicon, 47
Step-type chip breaker
a slip-line solution to metal machining using a cutting tool with a step-type chip-breaker, 218
Stress-strain ratio
uniaxial tensile test and wear in metals, 113
Surface finish
chip morphology and hole surface texture in the drilling of cast Aluminum alloys, 72
near-mirror-finish phenomenon in EDM using powder-mixed dielectric, 30

Temperature and load effects
factors affecting extrudate swell and melt flow rate, 163
Tensile strength
manufacturing and characteristics of brass damping sheets, 66
Thermal bending moment
investigation of the transient thermal deflection and stresses of the workpiece in surface grinding with the application of a cryogenic magnetic chuck, 177
Thermal deflection
investigation of the transient thermal deflection and stresses of the workpiece in surface grinding with the application of a cryogenic magnetic chuck, 177
Thermomechanical treatment (TMT)
accelerated aging processes in SiC-7020 aluminium composite, 1
Thin steel sheets
a study on the causes of deviation in mechanical properties of thin steel sheets, 9

Tool feed velocity
an improved model for oblique cutting and its application to chip-control research, 79
Tool major cutting edge angle
an improved model for oblique cutting and its application to chip-control research, 79
Turning
the role of coatings in controlling the cutting process when turning with coated indexable inserts, 133

Visioplasticity
a new approach to visioplasticity in plane-strain extrusion, 144
V shape section
elimination of the longitudinal curvature of a product formed by a press brake, 237

WEED
an intelligent knowledge-based system for wire-electro-erosion dissolution in a concurrent engineering environment, 155
Weld-bonding
manufacturing and characteristics of brass damping sheets, 66
Welding current
manufacturing and characteristics of brass damping sheets, 66
Welding cycles
manufacturing and characteristics of brass damping sheets, 66
Weld-through
manufacturing and characteristics of brass damping sheets, 66

X-ray diffraction
an investigation of stellite-6 alloy containing 5.0 wt% silicon, 47